


SPECIFICATION SHEET

Copyright © AtelierSaison Co., Ltd. All rights reserved.


STYLE NO.	STYLE DESCRIPTION	PATTERN									
CT001	Pea Coat for Men	19 Parts	Note: Patterns are created in the metric system. Dimensions in inches are subject to slight variations.								
		MEASUREMENTS		S		M		L		XL	
			inch	cm	inch	cm	inch	cm	inch	cm	
		Body Length	29 7/8	76	30 3/4	78	31 1/2	80	32 1/4	82	
		Shoulder Width	17 1/2	44.5	18 1/8	46	18 3/4	47.5	19 1/4	49	
		Chest / Bust	43	109.3	44 5/8	113.3	46 1/4	117.3	47 3/4	121.3	
		Hem Width	46 1/4	117.6	47 7/8	121.6	49 1/2	125.6	51	129.6	
		Sleeve Length	23 1/8	58.7	23 5/8	60	24 1/8	61.2	24 5/8	62.4	
		Sleeve Width	16 1/8	40.9	16 3/4	42.6	17 1/2	44.3	18 1/8	46	
		Sleeve Opening	6 1/8	15.5	6 1/4	16	6 1/2	16.5	6 3/4	17	
		Sleeve Length Center Back	31 7/8	81	32 5/8	83	33 1/2	85	34 1/4	87	
		Neck Circumference	18 1/8	46.1	18 3/4	47.6	19 3/8	49.2	20	50.7	
		Flap Pocket Width	7 5/8	19.5	7 7/8	20	8 1/8	20.5	8 1/4	21	
		Front Neck Depth	3 3/8	8.6	3 1/2	8.9	3 5/8	9.2	3 3/4	9.5	
		Back Neck Depth	3/4	1.9	3/4	1.9	3/4	1.9	3/4	1.9	
		Neck Width	6 1/2	16.5	6 3/4	17.1	7	17.7	7 1/4	18.3	
FABRIC REQUIREMENTS		Preparing a little more extra than this. (especially if you need pattern match fabric) Calculations are made assuming that the fabric is plain.									
Fabric 110cm(43 3/8in) Width	150	380	154	390	160	405	170	430			
Fabric 140cm (55 1/8in) Width	119	300	122	310	126	320	134	340			
Lining 120cm(47 1/4in) Width	77	195	79	200	83	210	89	225			
Interfacing 90cm(35 1/2in) Width	138	350	142	360	146	370	150	380			
TRIMS											
CF Buttons							8 Buttons				
Inside Button							2 Buttons				

In the video, inside buttons are attached. Please choose this one according to your preference. It is OK without it.

We use synthetic leather for pocket double welt to add a design arrangement. Usually the same main fabric is fine.

SPECIFICATION SHEET

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	STYLE DESCRIPTION	PATTERN		
CT001	Pea Coat for Men	19 Parts	NOTE: S.A = Seam Allowance Overlock = Serge	
SEWING INSTRUCTIONS				
		Side in Bodice	Main fabric: Open seam Lining: S.A toward back / Fullness 5mm	
		Armhole	Main fabric: Open seam only between top stitch on the front and back bodice Lining: S.A toward sleeve only between top stitch on the front and back bodice	
		Back sleeve seam	Main fabric: S.A toward Top sleeve / 8mm stitch Lining: S.A toward Top sleeve lining / Fullness 3mm	
		Front sleeve seam	Main fabric: Open seam Lining: S.A toward Top sleeve lining / Fullness 3mm	
		Sleeve Opening	Bag a lining / 20mm stitch	
		Center Back	Main fabric: S.A toward left / 8mm stitch Lining: S.A toward left / Fullness 15~5mm	
		Shoulder Line	Main fabric: Open seam Lining: S.A toward back	
		Neck Line	Open seam	
		Front Edge in Bodice	Sew front facing and turn / 8mm stitch	
		Pocket	Double welt pocket / 10mm+10mm width	
		Hem	Bag a lining / 20mm stitch / Fullness 10mm	
		Interfacing	Full interfacing for large parts: Front bodice and Front facing Small and partial parts: 7 parts	
		Fusible Stay Tape	HB(half-bias) tape 15mm: The edge of Front bodice HB(half-bias) tape 12mm: Neck line AR(armhole reinforcement) tape 12mm: Armhole	
		<p>Please use fusible interfacing according to the fabric.</p> <p>Please adjust the buttonhole size according to the button's dimensions. The pattern is designed with CF buttonhole size of 28mm for a button size of 25mm.</p>		

縫製仕様書

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	デザイン	パターン枚数	単位: cm				
CT001	ピーコート メンズ	19枚					
			寸法	S	M	L	XL
			着丈	76	78	80	82
			肩幅	44.5	46	47.5	49
			バスト	109.3	113.3	117.3	121.3
			裾幅	117.6	121.6	125.6	129.6
			袖丈	58.7	60	61.2	62.4
			袖幅	40.9	42.6	44.3	46
			袖口幅	15.5	16	16.5	17
			衿丈	81	83	85	87
			衿ぐり	46.1	47.6	49.2	50.7
			腰ポケット口	19.5	20	20.5	21
			前下がり	8.6	8.9	9.2	9.5
			後下がり	1.9	1.9	1.9	1.9
			天幅	16.5	17.1	17.7	18.3
			生地用尺	余力を持ってご用意ください（柄合わせを必要とする場合は特に） 差し込み可で計算しています			
			表地 110cm幅	380	390	405	430
			表地 140cm幅	300	310	320	340
			裏地 120cm幅	195	200	210	225
			芯地 90cm幅	350	360	370	380
			付属				
			フロントボタン	8個			
			内掛けボタン	2個			

動画では力釦を付けています。こちらはお好みでどうぞ。
デザインアレンジでポケットの玉縁布に合皮を使用しました。通常は共布でOKです。

縫製仕様書

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	デザイン	パターン枚数		
CT001	ピーコート メンズ	19枚		
		縫製仕様		
		身頃後脇	表 割り 裏 後ろ高 キセ5mm	
		袖付け	表 身頃のステッチが入る部分は割り 袖下に向かって自然に縫い代立たせる 裏 袖山のノッチ間は袖高 袖下に向かって自然に縫い代立たせる	
		外袖線	表 外袖高 8mmステッチ 裏 外袖高 キセ3mm	
		内袖線	表 割り 裏 外袖高 キセ3mm	
		袖口	30mmどんでん始末 20mmステッチ	
		CB	表 左高 8mmステッチ 裏 左高 キセ15~5mm	
		肩	表 割り 裏 後ろ高	
		衿付け	割付け	
		前端	見返し縫い返し 8mmステッチ	
		腰ポケット	10mm+10mm巾 両玉縁ポケット	
		裾	30mmどんでん始末 20mmステッチ 裏地キセ10mm巾	
		芯	大きいパーツの全面芯：前身頃 前見返し 小さいパーツ・部分芯：7パーツ	
		伸び止めテープ	HB（ハーフバイアス）テープ 15mm：前端 HB（ハーフバイアス）テープ 12mm：襟ぐり 端打ちテープ 12mm：アームホール	

生地素材に応じて接着芯を使用して下さい。

釦の大きさに応じてボタンホールのサイズを調整してください。
パターンは CF釦 25mm に対してホール 28mm です。