



SPECIFICATION SHEET

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	STYLE DESCRIPTION	PATTERN	Note: Patterns are created in the metric system. Dimensions in inches are subject to slight variations.									
BL001	Long Shirt for Women	9 Parts										
			MEASUREMENTS		S		M		L		XL	
			inch	cm	inch	cm	inch	cm	inch	cm		
			Body Length	40	101.5	40 1/2	103	41 1/8	104.5	41 3/4	106	
			Shoulder Width	25 1/4	64	25 3/4	65.5	26 3/8	67	27	68.5	
			Chest / Bust	51	129.5	52 5/8	133.5	54 1/8	137.5	55 3/4	141.5	
			Hem Width	27 3/8	69.5	28 1/8	71.5	29	73.5	29 3/4	75.5	
			Sleeve Length	18 3/16	46.25	18 11/16	47.5	19 3/16	48.75	19 11/16	50	
			Sleeve Width	10	25.5	10 1/4	26	10 7/16	26.5	10 5/8	27	
			Sleeve Opening	3 15/16	10	4 1/8	10.5	4 5/16	11	4 9/16	11.5	
			Sleeve Length Center Back	30 3/4	78	31 1/2	80	32 1/4	82	33 1/8	84	
			Neck Circumference	17 1/8	43.5	17 1/2	44.5	17 15/16	45.5	18 5/16	46.5	
			Pocket Width	5 5/16	13.5	5 1/2	14	5 11/16	14.5	5 15/16	15	
			Front Neck Depth	3 61/64	10.04	4 1/32	10.22	4 5/64	10.36	4 9/64	10.52	
			Back Neck Depth	11/16	1.73	45/64	1.8	47/64	1.87	49/64	1.94	
			Neck Width	3 1/16	7.8	3 3/16	8	3 1/4	8.2	3 5/16	8.4	
			FABRIC REQUIREMENTS		Preparing a little more extra than this. (especially if you need pattern match fabric) Calculations are made assuming that the grain line is OK in both directions.							
			Fabric 110cm(43 3/8in) width	110 1/4	280	114 1/8	290	114 1/8	290	118 1/8	300	
Fabric 140cm (55in) width	90 1/2	230	94 1/2	240	94 1/2	240	98 3/8	250				
Interfacing 35cm(13 3/4in) width	39 3/8	100	41 3/8	105	41 3/8	105	43 3/8	110				
TRIMS												
Button	10 buttons											

SPECIFICATION SHEET

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	STYLE DESCRIPTION	PATTERN			
BL001	Long Shirt for Women	9 Parts	NOTE: S.A = Seam Allowance Overlock = Serge		
SEWING INSTRUCTIONS					
		Side in Bodice	S.A to back/ flat-felled seam/ 5mm stitch		
		Armhole	S.A to bodice/ flat-felled seam/ 5mm stitch		
		Under Arm	S.A to back/ flat-felled seam/ 5mm stitch		
		Cuff	S.A to cuff/ Top stitch 13mm buttonhole × 2 11.5mm button × 2		
		Yoke	Yoke is made from 2 pieces/ S.A to yoke/ Top stitch		
		Collar	S.A to collar/ Top stitch Right side: 13mm buttonhole × 1 Left side: 11.5mm button × 1		
		Front Placket	Buttons on the left bodice/ S.A to front placket Right side: 13mm buttonhole × 7 Left side: 11.5mm button × 7		
		Hem in Bodice	6mm width double fold hem / 5mm stitch		
		Pocket	Pocket opening: 15mm width double fold Overlock and Top stitch on the left bodice		
		Lining	None		
		Interfacing	Front placket, cuff and collar *		
		Fusible Stay Tape	None		
		COMMENTS:			
		<p>* Use the interfacing according to the fabric material. If the fabric is thin, add interfacing to the front placket, cuff and collar.</p> <p>Adjust the length of the buttonhole according to the size of the button. In the pattern, the buttonhole is 13mm for the button 11.5mm.</p>			

縫製仕様書

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	デザイン	パターン枚数	単位: cm				
BL001	ロングシャツ レディース	9枚					
			寸法	S	M	L	XL
			着丈	101.5	103	104.5	106
			肩幅	64	65.5	67	68.5
			バスト	129.5	133.5	137.5	141.5
			裾幅	69.5	71.5	73.5	75.5
			袖丈	46.25	47.5	48.75	50
			袖幅	25.5	26	26.5	27
			袖口幅	10	10.5	11	11.5
			衿丈	78	80	82	84
			衿ぐり	43.5	44.5	45.5	46.5
			ポケット口	13.5	14	14.5	15
			前下がり	10.04	10.22	10.36	10.52
			後下がり	1.73	1.8	1.87	1.94
			天幅	7.8	8	8.2	8.4
			生地用尺	余力を持ってご用意ください（柄合わせを必要とする場合は特に） 差し込み可で計算しています			
表地 110cm幅	280	290	290	300			
表地 140cm幅	230	240	240	250			
芯地 35cm幅	100	105	105	110			
付属							
ボタン	10個						

縫製仕様書

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	デザイン	パターン枚数	縫製仕様	
BL001	ロングシャツ レディース	9枚		
		表地	身頃脇	折り伏せ 5mmステッチ 後高片倒し
			袖付け	折り伏せ 5mmステッチ 身頃高片倒し
			袖下	折り伏せ 5mmステッチ 後高片倒し
			カフス	カフス高挟み付け コバステッチ 13mmシャツ穴×2ヶ 11.5mm釦×2ヶ
			ヨーク	2枚仕立て ヨーク高 身頃挟み付け コバステッチ
			衿	衿高挟み付け コバステッチ 右：13mmシャツ穴×1ヶ 左：11.5mm釦×1ヶ
			前立て	右上前仕立て 端：前立て挟み付け 右：13mmシャツ穴×7ヶ 左：11.5mm釦×7ヶ
			裾	6mm巾完全三つ折り始末 5mm巾ステッチ
			ポケット	ポケット口：15mm巾完全三つ折り始末 端：ロック始末 コバステッチで身頃たたき付け
		他	裏地	なし
芯	前立て・カフス・衿 (※)			
伸び止めテープ	なし			

備考

※ 素材に応じて接着芯を使用して下さい。 薄手の場合、前立て・カフス・衿に全面芯を貼ります。

釦の大きさに応じてボタンホールのサイズを調整してください。
パターンは釦 11.5mm に対してホール 13mm です。