



SPECIFICATION SHEET

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	STYLE DESCRIPTION	PATTERN									
PT002	Jeans for Men	12 pieces	Note: Patterns are created in the metric system. Dimensions in inches are subject to slight variations.								
		MEASUREMENTS	29 inches		30 inches		31 inches		32 inches		
			inch	cm	inch	cm	inch	cm	inch	cm	
		Waist (nude measurement)	28 3/4	73	29 3/4	75.5	30 3/4	78	31 3/4	80.5	
		Waist (garment measurement)	33 1/8	79	32 1/8	81.5	33 1/8	84	34	86.5	
		Pant Length	36 3/8	92.5	37 1/4	94.7	38 1/4	97.2	39 1/4	99.7	
		Hips	35 3/8	89.7	36 1/4	92.2	37 1/4	94.7	38 1/4	97.2	
		Front Rise (including waistband)	9 7/8	25	10	25.5	10 1/4	26	10 1/2	26.5	
		Inseam	26 3/4	68	27 5/8	70	28 3/8	72	29 1/8	74	
		Thigh Width	11 3/8	28.8	11 5/8	29.6	11 7/8	30.3	12 1/4	31.1	
		Knee Width	8 1/8	20.6	8 3/8	21.1	8 1/2	21.6	8 3/4	22.1	
		Hem Width	5 7/8	14.8	6	15.3	6 1/4	15.8	6 3/8	16.3	
		Front Crotch	8 7/8	22.6	9 1/8	23.1	9 3/8	23.7	9 1/2	24.2	
		Back Crotch	12	30.4	12 1/8	30.9	12 3/8	31.5	12 5/8	32	
		Waistband Width	1 3/8	3.6	1 3/8	3.6	1 3/8	3.6	1 3/8	3.6	
		Back Pocket Width	5 1/4	13.2	5 3/8	13.5	5 3/8	13.5	5 3/8	13.7	
		Zipper Length	5 3/4	14.5	5 3/4	14.5	5 7/8	15	5 7/8	15	
		FABRIC REQUIREMENTS	Preparing a little more extra than this. (especially if you need pattern match fabric) Calculations are made assuming that the fabric is plain.								
		Fabric 110cm (43 3/8in) Width	89	225	91	230	91	230	95	240	
		Fabric 140cm (55 1/8in) Width	71	180	89	225	91	230	91	230	
		Sleek 102cm (40 1/8in) Width	20	50	20	50	20	50	20	50	
Interfacing 90cm(35 1/2in) Width	38	95	40	100	40	100	42	105			
TRIMS											
Button	1 Button										
Zipper	1 Zipper (Refer to the Measurements table for length)										
Please refer to the waist measurement (nude size) on the size chart. The hips are made slightly tighter than in standard jeans, so compare with the jeans you usually wear when choosing your size.											
Please adjust the buttonhole size according to the size of the button. The pattern has been created as follows: • Waistband: 20mm buttonhole for a 17mm button.											
Please adjust the hem of the pattern to your desired length.											


SPECIFICATION SHEET

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	STYLE DESCRIPTION	PATTERN							
PT002	Jeans for Men	12 pieces	Note: Patterns are created in the metric system. Dimensions in inches are subject to slight variations.						
		MEASUREMENTS	33 inches		34 inches		35 inches		
			inch	cm	inch	cm	inch	cm	
		Waist (nude measurement)	32 5/8	83	33 5/8	85.5	34 5/8	88	
		Waist (garment measurement)	35	89	36	91.5	37	94	
		Pant Length	40 1/4	102.2	41 1/4	104.7	42 1/4	107.2	
		Hips	39 1/4	99.7	40 1/4	102.2	41 1/4	104.7	
		Front Rise (including waistband)	10 5/8	27	10 7/8	27.5	11	28	
		Inseam	29 7/8	76	30 3/4	78	31 1/2	80	
		Thigh Width	12 1/2	31.8	12 7/8	32.6	13 1/8	33.3	
		Knee Width	8 7/8	22.6	9 1/8	23.1	9 1/4	23.6	
		Hem Width	6 5/8	16.8	6 7/8	17.3	7	17.8	
		Front Crotch	9 3/4	24.7	9 7/8	25.2	10 1/8	25.8	
		Back Crotch	12 3/4	32.5	13	33	13 1/4	33.6	
		Waistband Width	1 3/8	3.6	1 3/8	3.6	1 3/8	3.6	
		Back Pocket Width	5 3/8	13.7	5 1/2	14	5 1/2	14	
		Zipper Length	6 1/8	15.5	6 1/8	15.5	6 1/4	16	
		FABRIC REQUIREMENTS	Preparing a little more extra than this. (especially if you need pattern match fabric) Calculations are made assuming that the fabric is plain.						
		Fabric 110cm (43 3/8in) Width	99	250	101	255	103	260	
		Fabric 140cm (55 1/8in) Width	91	230	93	235	95	240	
		Sleek 102cm (40 1/8in) Width	20	50	20	50	20	50	
Interfacing 90cm(35 1/2in) Width	42	105	44	110	44	110			
TRIMS									
Button	1 Button								
Zipper	1 Zipper (Refer to the Measurements table for length)								
Please refer to the waist measurement (nude size) on the size chart. The hips are made slightly tighter than in standard jeans, so compare with the jeans you usually wear when choosing your size.									
Please adjust the buttonhole size according to the size of the button. The pattern has been created as follows: • Waistband: 20mm buttonhole for a 17mm button.									
Please adjust the hem of the pattern to your desired length.									

SPECIFICATION SHEET

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	STYLE DESCRIPTION	PATTERN	NOTE: S.A = Seam Allowance Overlock = Serge	
PT002	Jeans for Men	12 pieces		
<div style="text-align: center;">  </div> <p style="margin-top: 20px;">Instead of bar tacks, you can use backstitching. If you do this, make sure to backstitch more than usual.</p> <p style="margin-top: 20px;">In the video, we're using denim with a bit of stretch, so we've applied fusible stay tape to the front pocket openings as well.</p> <p style="margin-top: 20px;">The pattern does not include markings, but we've reinforced the left front facing and right front fly extension with bar tack on the inside. It's also fine to bar tack through all layers, including the left front pant, over the J-stitch.</p>		SEWING INSTRUCTIONS		
		Side Seam	Overlock + S.A to back pant / 2mm stitch → Naturally seam opening	
		Inseam	Overlock + S.A to front pant / 2mm stitch	
		Back Crotch	Overlock + S.A to Left pant / Sew the crotch seams twice / 2mm + 6mm stitch	
		Front Crotch	Overlock + S.A to Left pant / Sew the crotch seams twice / 2mm + 6mm stitch	
		Back Yoke	Overlock + S.A to back pant / 2mm + 6mm stitch	
		Waistband	Sandwiching into the waistband / S.A to waistband / 2mm stitch	
		Hem	Double fold hem / 10mm stitch	
		Front Pocket	Sew the pocket bag and then turn it back / 2mm + 6mm stitch Coin pocket on the right side only	
		Back Pocket	Pocket opening: Double fold / 2mm + 6mm stitch Pocket edge: Overlock + fold / 2mm + 6mm stitch into the back pants	
		Fusible Stay Tape	HB(half-bias) tape 15mm: The zipper attachment area of the right front and left front pants	

縫製仕様書

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	デザイン	パターン枚数	単位: cm				
PT002	ジーンズ メンズ	12	寸法	29 inch	30 inch	31 inch	32 inch
 <p>寸法表のウエスト（ヌード寸法）を参考にしてください。 一般的なジーンズよりもヒップ周りを少しだけタイトに作っていますので、普段履いているジーンズと比較してサイズを選んでください。</p> <p>釦の大きさに応じてボタンホールのサイズを調整してください。 パターンは以下で作成しています。 ・ウエストベルト ホール 20mm に対してボタン 17mm</p> <p>丈の長さはご自身でパターンの裾を調整してください。</p>			ウエスト（ヌード寸法）	73	75.5	78	80.5
			ウエスト（仕上がり寸法）	79	81.5	84	86.5
			総丈	92.5	94.7	97.2	99.7
			ヒップ	89.7	92.2	94.7	97.2
			股上（ベルト込み）	25	25.5	26	26.5
			股下	68	70	72	74
			わたり幅	28.8	29.6	30.3	31.1
			膝幅	20.6	21.1	21.6	22.1
			裾幅	14.8	15.3	15.8	16.3
			Front 股ぐり	22.6	23.1	23.7	24.2
			Back 股ぐり	30.4	30.9	31.5	32
			ウエストベルト幅	3.6	3.6	3.6	3.6
			後ろポケット口幅	13.2	13.5	13.5	13.7
			ファスナー長さ	14.5	14.5	15	15
			生地用尺	余力を持ってご用意ください（柄合わせを必要とする場合は特に） 差し込み可で計算しています			
			表地 110cm幅	225	230	230	240
			表地 140cm幅	180	225	230	230
			スレキ 102cm幅	50	50	50	50
芯地 90cm幅	95	100	100	105			
付属							
ボタン	1 個						
ファスナー	1 本（長さは寸法表を参照）						

縫製仕様書

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	デザイン	パターン枚数	単位: cm				
PT002	ジーンズ メンズ	12	寸法	33 inch	34 inch	35 inch	
 <p>寸法表のウエスト（ヌード寸法）を参考にしてください。 一般的なジーンズよりもヒップ周りを少しだけタイトに作っていますので、普段履いているジーンズと比較してサイズを選んでください。</p> <p>釦の大きさに応じてボタンホールのサイズを調整してください。 パターンは以下で作成しています。 ・ウエストベルト ホール 20mm に対してボタン 17mm</p> <p>丈の長さをご自身でパターンの裾を調整してください。</p>			ウエスト（ヌード寸法）	83	85.5	88	
			ウエスト（仕上がり寸法）	89	91.5	94	
			総丈	102.2	104.7	107.2	
			ヒップ	99.7	102.2	104.7	
			股上（ベルト込み）	27	27.5	28	
			股下	76	78	80	
			わたり巾	31.8	32.6	33.3	
			膝幅	22.6	23.1	23.6	
			裾幅	16.8	17.3	17.8	
			Front 股ぐり	24.7	25.2	25.8	
			Back 股ぐり	32.5	33	33.6	
			ウエストベルト幅	3.6	3.6	3.6	
			後ろポケット口幅	13.7	14	14	
			ファスナー長さ	15.5	15.5	16	
			生地用尺	余力を持ってご用意ください（柄合わせを必要とする場合は特に） 差し込み可で計算しています			
			表地 110cm幅	250	255	260	
			表地 140cm幅	230	235	240	
スレキ 102cm幅	50	50	50				
芯地 90cm幅	105	110	110				
付属							
ボタン	1 個						
ファスナー	1 本（長さは寸法表を参照）						

縫製仕様書

Copyright © AtelierSaison Co., Ltd. All rights reserved.

STYLE NO.	デザイン	パターン枚数	
PT002	ジーンズ メンズ	12	
		縫製仕様	
		脇	ロック始末 後ろパンツ高 2mmステッチ → 自然に割り
		股下	ロック始末 前パンツ高 2mmステッチ
		後股ぐり	ロック始末 左高 股ぐり二度縫い 2mm + 6mmステッチ
		前股ぐり	ロック始末 左高 股ぐり二度縫い 2mm + 6mmステッチ
		後ヨーク	ロック始末 後ろパンツ高 2mm + 6mmステッチ
		ウエスト	ベルト挟み込み ベルト高 2mmステッチ
		裾	完全三つ折り 10mmステッチ
		腰ポケット	袋布と縫い返し 2mm + 6mmステッチ 右のみコインポケット付
		後ポケット	ポケット上端：完全三つ折り 2mm + 6mmステッチ 周囲：ロック始末 二つ折り 2mm + 6mmステッチ叩き付け
		伸び止めテープ	HB（ハーフバイアス）テープ 15mm：右前・左前パンツのファスナー付け部分

カンヌキは返し縫いでもOKです。その場合は普段よりも多く返し縫いをしてください。

動画では少しだけストレッチが入っているデニムを使用しているため前ポケット口に伸び止めテープを貼っています。

パターンには印をしていますが、左前見返しと右前持ち出しを内側でカンヌキしています。左前パンツ含めてのぶち抜きでJステッチ上にカンヌキでもOKです。